

# 4Bank Select/DMX



Our award-winning 4ft 4Bank portable lighting systems have changed the way professionals light everything from feature films to television productions to video and still photography. Why? Because they are the most versatile softlights on the market. The 4Bank is similar to a 1,000 Watt softlight, but uses 1/2 the power. Color temperature doesn't shift when the light levels change. Lamps are long lived and operate outside the fixture. The fixtures are lightweight enough to tape to a wall. Here are some 4Bank basics:

## The 4-Lamp Fixture

- Built-in Barndoors
- Removable Lamp Harness, Reflector and Louver
- Twist-on, locking Center Mount
- True Match® daylight and tungsten lamps

## The High Output Ballast

- Select and Select/DMX
- HO/Standard switching
- Flicker-free, remote operation
- Individual lamp control
- Instant-on, dead quiet

## ▼ 4Bank Systems



**CFX-4804**  
4ft Fixture



**CFX-2404**  
2ft Fixture



**X16-25**  
Extension, 25ft



**BAL-455-120**  
Select/DMX Ballast, 120VAC



**BAL-455-230**  
Select/DMX Ballast, 230VAC

**BAL-415-120**  
Select Ballast, 120VAC

**BAL-415-230**  
Select Ballast, 230VAC

## ▼ Photometrics

<b>4ft 4Bank</b>	FC	531	173	84	49	32	22.5	17	13	10.5	8.5
	Feet	2	4	6	8	10	12	14	16	18	20
<b>2ft 4Bank</b>	FC	232	65	29	17	11	7.5	5.5	4.5	3.5	3
	Feet	2	4	6	8	10	12	14	16	18	20

<b>4ft 4Bank</b>	LUX	7407	2599	1303	775	503	356	267	208	168	135
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5
<b>2ft 4Bank</b>	LUX	3413	966	456	265	170	119	88	69	55	44
	Meters	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5

## ▼ Fixture Specifications

Fixture	Lamps	Lamp Type	Dimensions	Weight w/ Lamps
<b>4ft 4Bank</b>	4	F75/T12	52 x 13 x 3.5" w/ 6.5" barndoors (132 x 33 x 9cm w/ 16.5cm barndoors)	11.5 lb (5.2kg)
<b>2ft 4Bank</b>	4	F40/T12	27 x 13 x 3.5" w/ 6.5" barndoors (69 x 33 x 9cm w/ 16.5cm barndoors)	7.5 lb (3.4kg)

## ▼ Ballast Specifications

Ballast	Input Voltage	Output Frequency	Amperage	Lamp Switching	Output Switching	Dimensions	Weight
<b>4Bank Select</b>	120VAC 50/60Hz	25kHz	F75/5.0A F40/3.5A	1-4	2ft/4ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	5.5 lb (2.5kg)
<b>4Bank Select</b>	230VAC 50/60Hz	25kHz	F75/2.5A F40/1.8A	1-4	2ft/4ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	5.9 lb (2.7kg)
<b>4Bank DMX</b>	120VAC 50/60Hz	25kHz	F75/5.0A F40/3.5A	1-4	2ft/4ft	12.5 x 12.5 x 2.5" (32 x 32 x 6.5cm)	6.3 lb (2.9kg)
<b>4Bank DMX</b>	230VAC 50/60Hz	25kHz	F75/2.5A F40/1.8A	1-4	2ft/4ft	12.5 x 12.5 x 2.5" (32 x 32 x 6.5cm)	6.8 lb (3.1kg)

## ▼ Details



## ▼ 4Bank Accessories



## ▼ Gallery



Rodney Charters, David St. Onge

## ▼ 4Bank/ Gaffer Kits



**KIT-26F-120**  
Gaffer Kit, 120VAC (2-Unit)

**KIT-26F-X120**  
Gaffer DMX Kit, 120VAC (2-Unit)

**KIT-4804B-120**  
4ft 4Bank Kit, 120VAC (1-Unit)

**KIT-26F-230**  
Gaffer Kit, 230VAC (2-Unit)

**KIT-26F-X230**  
Gaffer DMX Kit, 230VAC (2-Unit)

**KIT-4804B-230**  
4ft 4Bank Kit, 230VAC (1-Unit)

**Contents**  
2 4ft 4Bank System w/ MTP-BL41 Mount  
2 Lamp Case  
1 Gaffer Ship Case

**Dimensions**  
56.5 x 13 x 21.5"  
(143.5 x 33 x 55m)  
**Weight**  
73.5 lb (33.5kg)

**Contents**  
2 4ft 4Bank DMX System w/ MTP-BL41 Mount  
2 Lamp Case  
1 Gaffer Ship Case

**Dimensions**  
56.5 x 13 x 21.5"  
(143.5 x 33 x 55cm)  
**Weight**  
75.5 lb (34kg)

**Contents**  
1 4ft 4Bank System w/ MTP-BL41 Mount  
1 Lamp Case  
1 Soft Case

**Dimensions**  
55 x 8 x 19.5"  
(140 x 20.5 x 49.5cm)  
**Weight**  
26 lb (12kg)

## ▼ 4Bank Cases



# 4Bank Kits

## ▼ 4Bank/ Gaffer Kits



**KIT-2GF-120**  
Gaffer Kit, 120VAC (2-Unit)

**KIT-2GF-230**  
Gaffer Kit, 230VAC (2-Unit)

Contents	Dimensions
2 4ft 4Bank System w/ MTP-BL41 Mount	56.5 x 13 x 21.5" (143.5 x 33 x 55cm)
2 Lamp Case	<b>Weight</b>
1 Gaffer Ship Case	73.5 lb (33.5kg)



**KIT-2GF-X120**  
Gaffer DMX Kit, 120VAC (2-Unit)

**KIT-2GF-X230**  
Gaffer DMX Kit, 230VAC (2-Unit)

Contents	Dimensions
2 4ft 4Bank DMX System w/ MTP-BL41 Mount	56.5 x 13 x 21.5" (143.5 x 33 x 55cm)
2 Lamp Case	<b>Weight</b>
1 Gaffer Ship Case	75.5 lb (34kg)



**KIT-4804B-120**  
4ft 4Bank Kit, 120VAC (1-Unit) w/ Soft Case

**KIT-4804B-230**  
4ft 4Bank Kit, 230VAC (1-Unit) w/ Soft Case

Contents	Dimensions
1 4ft 4Bank System w/ MTP-BL41 Mount	55 x 8 x 19.5" (140 x 20.5 x 49.5cm)
1 Lamp Case	<b>Weight</b>
1 Soft Case	26 lb (12kg)

## ▼ 4Bank/ Interview Kits



**KIT-2NT-120**  
Interview Kit, 120VAC (2-Unit)

**KIT-2NT-230**  
Interview Kit, 230VAC (2-Unit)

Contents	Dimensions
2 2ft 4Bank System w/ MTP-BL41 Mount	35.5 x 13 x 22" (90 x 33 x 56cm)
2 Lamp Case	<b>Weight</b>
1 Interview Ship Case	57.5 lb (26kg)



**KIT-2NT-X120**  
Interview DMX Kit, 120VAC (2-Unit)

**KIT-2NT-X230**  
Interview DMX Kit, 230VAC (2-Unit)

Contents	Dimensions
2 2ft 4Bank DMX System w/ MTP-BL41 Mount	35.5 x 13 x 22" (90 x 33 x 56cm)
2 Lamp Case	<b>Weight</b>
1 Interview Ship Case	59.5 lb (27kg)



**KIT-2404B-120**  
2ft 4Bank Kit, 120VAC (1-Unit) w/ Soft Case

**KIT-2404B-230**  
2ft 4Bank Kit, 230VAC (1-Unit) w/ Soft Case

Contents	Dimensions
1 2ft 4Bank System w/ MTP-BL41 Mount	28.5 x 7.5 x 20" (72.5 x 19 x 51cm)
1 Lamp Case	<b>Weight</b>
1 Soft Case	20.5 lb (9.5kg)

## ▼ Interview Kit (3-Unit)



**KIT-3NT-120**  
Interview Kit, 120VAC (3-Unit)

**KIT-3NT-230**  
Interview Kit, 230VAC (3-Unit)

Contents	Dimensions
1 2ft 4Bank System w/ MTP-BL41 Mount	35.5 x 13 x 23" (90 x 33 x 58.5cm)
2 2ft Double System w/ MTP-BL41 Mount	<b>Weight</b>
2 Lamp Case	64 lb (29kg)
1 Interview Ship Case	