

4Bank Select/DMX



Our award-winning 4ft 4Bank portable lighting systems have changed the way professionals light everything from feature films to television productions to video and still photography. Why? Because they are the most versatile softlights on the market.

The 4Bank is similar to a 1,000 Watt softlight, but uses 1/10th the power. Color temperature doesn't shift when the light levels change. Lamps are long lived and operate outside the fixture. The fixtures are lightweight enough to tape to a wall. Here are some 4Bank basics:

The 4-Lamp Fixture

- Built-in Barndoors
- Removable Lamp Harness, Reflector and Louver
- Twist-on, locking Center Mount
- True Match® daylight and tungsten lamps

The High Output Ballast

- Select and Select/DMX
- HO/Standard switching
- Flicker-free, remote operation
- Individual lamp control
- Instant-on, dead quiet

▼ 4Bank Systems



CFX-4804
4ft Fixture



CFX-2404
2ft Fixture



MTP-KL41
Kino 4TL Mount
w/ 3/8" Pin (10mm)



X16-25
Extension, 25ft



BAL-455-120
Select/DMX Ballast, 120VAC



BAL-455-230
Select/DMX Ballast, 230VAC



BAL-415-120
Select Ballast, 120VAC

BAL-415-230
Select Ballast, 230VAC

▼ Photometrics

4ft 4Bank	FC	531	173	84	49	32	22.5
	Feet	2	4	6	8	10	12
2ft 4Bank	FC	232	65	29	17	11	7.5
	Feet	2	4	6	8	10	12

4ft 4Bank	LUX	7407	2599	1303	775	503	356
	Meters	0.5	1	1.5	2	2.5	3
2ft 4Bank	LUX	3413	966	456	265	170	119
	Meters	0.5	1	1.5	2	2.5	3

▼ Fixture Specifications

Fixture	Lamps	Lamp Type	Dimensions	Weight w/ Lamps
4ft 4Bank	4	F75/T12	52 x 13 x 3.5" w/ 6.5" barndoors (132 x 33 x 9cm w/ 16.5cm barndoors)	11.5 lb (5.2kg)
2ft 4Bank	4	F40/T12	27 x 13 x 3.5" w/ 6.5" barndoors (69 x 33 x 9cm w/ 16.5cm barndoors)	7.5 lb (3.4kg)

▼ Ballast Specifications

Ballast	Input Voltage	Output Frequency	Amperage	Lamp Switch	Output Switch	Dimensions	Weight
4Bank Select	120VAC 50/60Hz	25kHz	F75/4.6A, F40/3.1A, F30/2.3A	1-4	2-4ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	5.5 lb (2.5kg)
4Bank Select	230VAC 50/60Hz	25kHz	F75/2.4A, F40/1.6A, F30/1.3A	1-4	2-4ft	13 x 9.5 x 3" (33 x 24 x 7.6cm)	5.9 lb (2.7kg)
4Bank DMX	120VAC 50/60Hz	25kHz	F75/4.6A, F40/3.2A, F30/2.5A	1-4	2-4ft	12.5 x 12.5 x 2.5" (32 x 32 x 6.5cm)	6.3 lb (2.9kg)
4Bank DMX	230VAC 50/60Hz	25kHz	F75/2.4A, F40/1.7A, F30/1.3A	1-4	2-4ft	12.5 x 12.5 x 2.5" (32 x 32 x 6.5cm)	6.8 lb (3.1kg)

▼ Details



▼ Gallery



▼ 4Bank/ Gaffer Kits



KIT-2GF-120
Gaffer Kit, 120VAC (2-Unit)

KIT-2GF-X120
Gaffer DMX Kit, 120VAC (2-Unit)

KIT-480AB-120
4ft 4Bank Kit, 120VAC (1-Unit)

KIT-2GF-230
Gaffer Kit, 230VAC (2-Unit)

KIT-2GF-X230
Gaffer DMX Kit, 230VAC (2-Unit)

KIT-480AB-230
4ft 4Bank Kit, 230VAC (1-Unit)

Contents
2 4ft 4Bank System w/ MTP-BL41 Mount
2 Lamp Case
1 Gaffer Ship Case

Dimensions
56.5 x 13 x 21.5"
(143.5 x 33 x 54.6cm)
Weight
72 lb (32.6kg)


Contents
2 4ft 4Bank DMX System w/ MTP-BL41 Mount
2 Lamp Case
1 Gaffer Ship Case

Dimensions
56.5 x 13 x 21.5"
(143.5 x 33 x 54.6cm)
Weight
74 lb (33.5kg)

Contents
1 4ft 4Bank System w/ MTP-BL41 Mount
1 Lamp Case
1 Soft Case

Dimensions
53.5 x 7 x 18"
(136 x 18 x 46cm)
Weight
26 lb (12kg)


▼ 4Bank Accessories




DFS-4804
4ft Flozier, Full



DFS-4804H
4ft Flozier, Half




DFS-D4
2ft Flozier, Full



DFS-D4-H
2ft Flozier, Half



MTP-BL41
Kino 41L Mount w/ Baby Receiver (16mm)



MTP-BL41S
Kino 41L Mount w/ Baby Short (16mm)



MTP-BAL
Kino Ballast Baby Mount (16mm)



X16-12
Extension, 12ft



X16-A4
4Bank to Single Splitter



X16-A9
4Bank to Double Splitter

▼ 4Bank Cases



BAG-401
4ft 4Bank Soft Case



BAG-201
2ft 4Bank Soft Case



KAS-54L
4ft Fixture Ship Case, Large



KAS-54S
4ft Fixture Ship Case, Small



KAS-48
4ft Lamp Ship Case



KAS-GAF2
Gaffer Ship Case (2-Unit)



KAS-INT2
Interview Ship Case (2-Unit)



KAS-INT3
Interview Ship Case (3-Unit)



KAS-C46
6-Lamp Carry Case (4ft)



KAS-C26
6-Lamp Carry Case (2ft)



KAS-KFC
Ballast and Cable Crate w/ Lid

4Bank Kits

▼ 4Bank/ Gaffer Kits



KIT-2GF-120
Gaffer Kit, 120VAC (2-Unit)

Contents
2 4ft 4Bank System
w/ MTP-BL41 Mount
2 Lamp Case
1 Gaffer Ship Case

KIT-2GF-230
Gaffer Kit, 230VAC (2-Unit)

Dimensions
56.5 x 13 x 21.5"
(143.5 x 33 x 54.6cm)
Weight
72 lb (32.6kg)



KIT-2GF-X120
Gaffer DMX Kit, 120VAC (2-Unit)

Contents
2 4ft 4Bank DMX System
w/ MTP-BL41 Mount
2 Lamp Case
1 Gaffer Ship Case

KIT-2GF-X230
Gaffer DMX Kit, 230VAC (2-Unit)

Dimensions
56.5 x 13 x 21.5"
(143.5 x 33 x 54.6cm)
Weight
74 lb (33.5kg)



KIT-4804B-120
4ft 4Bank Kit, 120VAC (1-Unit)

Contents
1 4ft 4Bank System
w/ MTP-BL41 Mount
1 Lamp Case
1 Soft Case

KIT-4804B-230
4ft 4Bank Kit, 230VAC (1-Unit)

Dimensions
53.5 x 7 x 18"
(136 x 18 x 46cm)
Weight
26 lb (12kg)

▼ 4Bank/ Interview Kits



KIT-2NF-120
Interview Kit, 120VAC (2-Unit)

Contents
2 2ft 4Bank System
w/ MTP-BL41 Mount
2 Lamp Case
1 Interview Ship Case

KIT-2NF-230
Interview Kit, 230VAC (2-Unit)

Dimensions
35.5 x 13 x 22.5"
(90 x 33 x 57cm)
Weight
58 lb (26.3kg)



KIT-2NF-X120
Interview DMX Kit, 120VAC (2-Unit)

Contents
2 2ft 4Bank DMX System
w/ MTP-BL41 Mount
2 Lamp Case
1 Interview Ship Case

KIT-2NF-X230
Interview DMX Kit, 230VAC (2-Unit)

Dimensions
35.5 x 13 x 22.5"
(90 x 33 x 57cm)
Weight
60 lb (27.2kg)



KIT-2404B-120
2ft 4Bank Kit, 120VAC (1-Unit)

Contents
1 2ft 4Bank System
w/ MTP-BL41 Mount
1 Lamp Case
1 Soft Case

KIT-2404B-230
2ft 4Bank Kit, 230VAC (1-Unit)

Dimensions
27.5 x 7 x 18"
(70 x 18 x 46cm)
Weight
20 lb (9kg)

▼ Interview Kit (3-Unit)



KIT-3NF-120
Interview Kit, 120VAC (3-Unit)

Contents
1 2ft 4Bank System
w/ MTP-BL41 Mount
2 2ft Double System
w/ MTP-BL41 Mount
2 Lamp Case
1 Interview Ship Case

KIT-3NF-230
Interview Kit, 230VAC (3-Unit)

Dimensions
35.5 x 13 x 23.5"
(90 x 33 x 59.7cm)
Weight
65 lb (29.5kg)